

jima, Goto Is., Iki, Tsushima, Hekura-jima, Tanegashima, Yakushima), Korea, China, Siberia, N.America.

Genus *Callinomes* Westwood, 1874 ホソハナムグリ属

Callinomes Westwood, 1874, Thes Ent. Oxon, p.26.

(type-species : *Callinomes vollenhovi* Westwood, 1874)

Callinomes ishikawai Y. Kurosawa, 1973 チャイロホソハナムグリ

Callinomes ishikawai Y. Kurosawa, 1973, Mem. Nat. Sci. Museum (6):111-112. (Iriomote-jima)

Distr. Japan (Iriomote-jima).

Genus *Coenochilus* Schaum, 1841 スジボソハナムグリ属

Coenochilus Schaum in Germar Zeitschr. Ent. III, 1841, p.250, 268.

(type-species : *Cetonia maura* Fabricius, 1801)

Coenochilus striatus Westwood, 1874 スジボソハナムグリ

Coenochilus striatus Westwood, 1874, p.46, t.13, f.7, 7a-d. (Hongkong)

Distr. Japan (Ishigaki Is., Iriomote Is.), Hongkong.

Subfamily TRICHINAE トラハナムグリ亜科

Tribe OSMODERMINI オオチャイロハナムグリ族

Genus *Osmoderma* Serville, 1825 オオチャイロハナムグリ属

Osmoderma Serville, 1825, Encycl. meth. X, p.702.

(type-species : *Scarabaeus eremitus* Scopoli, 1763)

Osmoderma opicum Lewis, 1887 オオチャイロハナムグリ

Osmoderma opica Lewis, 1887, Wiener Ent. Zeit. VI, p.49. (Chiuzenji)

Distr. Japan (Honshu, Shikoku, Kyushu, Hirato-jima, Yakushima).

Tribe TRICHINI トラハナムグリ族

Genus *Gnorimus* Serville, 1825 アシナガハナムグリ属

Gnorimus Serville, 1825, Encl. meth. X, p.702.

(type-species : *Scarabaeus nobilis* Linne, 1758)

Gnorimus subopacus Motschulsky, 1860 イブシアシナガハナムグリ

Gnorimus subopacus Motschulsky, 1860, Schrenck Reise, p.135, t.9, f.5. (Amur)

Distr. Japan (Tsushima?), Korea, Manchuria, E.Siberia.
 subsp. *viridiopacus* (Lewis, 1887) アオアシナガハナムグリ
Trichius viridiopacus Lewis, 1887, Wien Ent. Zeit. p.49. (Chiuzenji)
 Distr. Japan (Hokkaido, Honshu, Kyushu, Tsushima), Kurile, Korea.

Genus *Trichius* Fabricius, 1792 トラハナムグリ属
Trichius Fabricius, 1792, Ent. Syst. I, 2, p.118.
 (type-species : *Trichius fasciatus* Linne, 1758)

Trichius japonicus Janson, 1885 トラハナムグリ
Trichius japonicus Janson, 1885, Cist. Ent. Pars. XXIX(3):152. (Japan)
 Distr. Japan (Hokkaido, Honshu, Kyushu, Shikoku).

Genus *Epitrichius* Tagawa, 1941 ニセトラハナムグリ属
Epitrichius Tagawa, 1941, Trans. Kyushu Ent. Soc. (3)1, p.18.
 (type-species : *Trichius elegans* Kano, 1931)

Epitrichius lagopus (Fairmaire, 1897) アマミニセトラハナムグリ
Trichius lagopus Fairmaire, 1897, Bull. Soc. ent. France, p.166. (Oshima)
Trichius Ferrei Pouillande, 1913, Insecta, Rennes, III, p.125. (Oshima)
 Distr. Japan (Amami-shima).

Genus *Lasiotrichius* Reitter, 1898 ヒメトラハナムグリ属
Lasiotrichius Reitter, 1898, Verh. Nat. Ver. Brunn, (37):101.
 (type-species : *Scarabaeus succinctus* Pallas, 1781)

Lasiotrichius succinctus (Pallas, 1781) ヒメトラハナムグリ
Scarabaeus succinctus Pallas, 1781, Icon. Ins. p.18, Taf.I, p.19.
 Distr. Japan (Hokkaido, Honshu, Shikoku, Yakushima), Saisyu-to, Korea, Manchuria, E.Siberia, Askoid
 Is.

Genus *Paratrichius* Janson, 1881 オオトラフハナムグリ属
Paratrichius Janson, 1881, Cist. Ent. II, p.160.
 (type-species : *Gnorimus doenitzi* Harold, 1879)

Paratrichius doenitzi (Harold, 1879) オオトラフハナムグリ
Gnorimus doenitzi Harold, 1879, Deut. Ent. Zeit., p.366.
Paratrichius longicornis Janson, 1881, Cist. Ent. II, p.611, pl.XI, f.1.
Gnorimus otsukae Nijima et Kinoshita, 1923, Res. Bull. Coll. Exp. Forest. Coll. Agr. Hokkaido Imp. Univ.
 Japan, II, 2, pp.120, 236, pl.IV, f.4, ♂.
 Distr. Japan (Honshu, Shikoku, Kyushu).

- Paratrichiulus duplicatus* Lewis, 1895 オオシマトラフハナムグリ
Paratrichiulus duplicatus Lewis, 1895, Ann. Mag. Nat. Hist. (6) XVI, p.405.
 Distr. Japan (Amami-Oshima).
 subsp. *okinawanus* Nomura, 1959 オキナワトラフハナムグリ
Paratrichiulus duplicatus okinawanus Nomura, 1959, Tōhō Gakuho (9):53. (Okinawa Is.)
 Distr. Japan (Okinawa Is.).
- Paratrichiulus geibiensis* Y. Miyake, 1997 ヒロシマオオトラフハナムグリ
Paratrichiulus geibiensis Y. Miyake, 1997, HIBAKAGAKU(177):7-9, figs.11,12. (Mizoguchi, Mt. Omangi,
 Hibayama, Fudagatao-Hiroshima Pref.)
 Distr. Japan (Honshu).
- Paratrichiulus itoi* Tagawa, 1939 キイオオトラフハナムグリ
Paratrichiulus doentzi Harold var. *itoi* Tagawa, 1939, Trans. Kyushu ent. Soc. 2(1):15.
Paratrichiulus itoi Tagawa, Miyake, 1990, Kita Kyushu no Konchu 37(1):28-30, figs.2,5,12. (Wakayama,
 Osaka, Nara Pref. etc.-Kii Peninsula)
 Distr. Japan (Kii Peninsula-Honshu).
- Paratrichiulus kyushuensis* Y. Miyake, 1990 キュウシュウオオトラフハナムグリ
Paratrichiulus kyushuensis Y. Miyake, 1990, Kita Kyushu no Konchu 37(1):28,30-32, figs.3,6. (Kyushu)
 Distr. Japan (Kyushu-Bungo, Higo, Hyuga, Osumi).
- Paratrichiulus septemdecimguttatus* (Snellen van Vollenhoven, 1864) ジュウシチホシハナムグリ
Trichiulus septemdecimguttatus Snellen van Vollenhoven, 1864, Tijdschr. ent. Nederl. 7, p.159. (Japan)
 Distr. Japan (Honshu, Shikoku, Kyushu, Yakushima), Korea, China.

Subfamily VALGINAE ヒラタハナムグリ亜科

Genus *Neovalgus* Y. Miyake, 1985 オオヒラタハナムグリ属
Neovalgus Y. Miyake, 1985, LAMELLICORNIA (1):2.
 (type-species : *Valgus fumosus* Lewis, 1887)

- Neovalgus fumosus* (Lewis, 1887) オオヒラタハナムグリ
Valgus fumosus Lewis, 1887, Ann. Mag. Nat. Hist. (5) XIX, p.201.
Valgus pictus fumosus Sawada, 1941, Nippon no Kochu 4(1):2,7.
Valgus pictus shikokuensis Sawada, 1941, Nippon no Kochu 4(1):2,7.
 Distr. Japan (Hokkaido, Honshu, Awashima, Shikoku, Kyushu).
- Neovalgus laetus* (Arrow, 1913) オオシマヒラタハナムグリ
Chromovalgus laetus Arrow, 1913, Ann. Mag. Nat. Hist. (8) XII, p.408. (Oshima)
Valgus pictus laetus Sawada, 1941, Nippon no Kochu 4(1):2,6, pl.I, f.1.
 Distr. Japan (Amami-Oshima).