

Subfamily MELOLONTHINAE コフキコガネ亜科

Tribe HOPLIINI アシナゴコガネ族

Genus *Hoplia* ILLIGER, 1803 アシナゴコガネ属

Hoplia ILLIGER, Mag. Ins. II, 1803, p. 226.

(type-species: *Scarabaeus farinosus* LINNÉ, 1761)

Hyperis DEJEAN, Cat. Col. ed. 3, p. 167, 1833.

Echyra ERICHSON, Nat. Ins. Detsch. III, p. 705, nota, 1847.

Subgenus *Euchromoplia* MEDVEDEV, 1952

Euchromoplia MEDVEDEV, Fauna U. S. S. R. 10(2):235, 1952.

(type-species: *Scarabaeus aureolus* PALLAS, 1875)

Hoplia (*Euchromoplia*) *communis* WATERHOUSE, 1875 アシナゴコガネ

Hoplia communis WATERHOUSE, Trans. ent. Soc. London, 1875, p. 100 (Nagasaki, Yokohama).

Hoplia communis f. *maculata* BATES, 1889, Ent. mon. Mag. 25, p. 298.

Distr. Japan (Honshu, Sado Is., Izu-Oshima, Shikoku, Kyushu, Yakushima).

Subgenus *Hoplia* ILLIGER, 1803, s. str.

Hoplia (s. str.) *hakonensis* SAWADA, 1938 ハコネアシナゴコガネ

Hoplia moerens var. *hakonensis* SAWADA (part.), Nippon no Kochu 2(1):39, pl. VI, f. 10, 1938 (Hakone).

Distr. Japan (Honshu-Izu, Hakone, Toyama, Niigata).

Hoplia (s. str.) *moerens* WATERHOUSE, 1875 クロアシナゴコガネ

Hoplia moerens WATERHOUSE, Trans. ent. Soc. London, 1875, p. 100 (Hiogo, Nagasaki).

Hoplia moerens f. *nigrofusca* NOMURA, 1968, Ent. Rev. Japan 20(1/2):58.

Hoplia moerens f. *flavicans* NOMURA, 1968, Ent. Rev. Japan 20(1/2):58.

Hoplia moerens ohbayashii NOMURA, 1968, Ent. Rev. Japan 20(1/2):59.

Distr. Japan (Honshu, Shikoku, Kyushu).

Hoplia (s. str.) *reini* HEYDEN, 1879 ラインアシナゴコガネ

Hoplia reini HEYDEN, Deutsch Ent. Zeit. XXIII, p. 339, 1879 (Kiushiu).

Distr. Japan (Kyushu).

Hoplia (s. str.) *shiraki* NOMURA, 1959 シラキアシナゴコガネ

Hoplia (s. str.) *shiraki* NOMURA, Tōhō Gakuho (9):39, pl/2, f. 1-3, 1959 (Okinawa Is.).

Distr. Japan (Okinawa Is.).

Genus *Ectinohoplia* REDTENBACHER, 1868 ヒメアシナゴコガネ属
Ectinohoplia REDTENBACHER, Reise Novara-Expedition, Zool. II, Col. 1868, p. 63.
 (type-species: *Hoplia obducta* MOTSCHULSKY, 1857)

Ectinohoplia gracilipes (LEWIS, 1895) キイロアシナゴコガネ
Hoplia gracilipes LEWIS, Ann. Mag. Nat. Hist. (6) XVI, 1895, p. 389 (Oshima).
 Distr. Japan (Kyushu, Yakushima, Amami-Oshima, Tokunoshima).

Ectinohoplia obducta (MOTSCHULSKY, 1857) ヒメアシナゴコガネ
Hoplia obducta MOTSCHULSKY, Etud. ent., p. 33, 1857 (Japan, Shimoda).
Hoplia sabulicola MOTSCHULSKY, 1857, Etudes ent. 6, p. 34.
Ectinohoplia variolosa WATERHOUSE, Trans. ent. Soc. London, 1875, p. 99, pl. 1, f. 2 (Nagasaki).
Ectinohoplia obducta var. *caminaris* REITTER, 1903, Verh. naturw. Ver. Brunn. 41, p. 107.
 Distr. Japan (Hokkaido, Honshu, Sado Is., Shikoku, Kyushu, Goto Is., Tsushima, Yakushima, Hekura-jima), Korea, China.

Ectinohoplia rufipes (MOTSCHULSKY, 1860) カバイロアシナゴコガネ
Decamera rufipes MOTSCHULSKY, in Schrenk's Amur-Reise, II, 1860, p. 133, t. 9, f. 4 (Daourie, bords du fl. Amur.).
 Distr. Japan (Hokkaido, Chishima, Honshu, Shikoku, Tsushima), Sakhalin, Korea.

Tribe SERICINI ビロウドコガネ族

Genus *Maladera* MULSANT et REY, 1870 ビロウドコガネ属
Maladera MULSANT et REY, Ann. Soc. Agric. Lyon (4), 3, p. 343, 1870.
 (type-species: *Scarabaeus holosericeus* SCOPOLI, 1772)
Aserica LEWIS, Ann. Mag. Nat. Hist. (6) XVI, p. 394, 1895.
 (type-species: *Autoserica secreta* BRENSKE, 1897)
Autoserica BRENSKE, Berl. Ent. Zeit. p. 377, 1897.
 (type-species: *Serica piceorufa* FAIRMAIRE, 1888)

Subgenus *Maladera* MULSANT et REAY, 1870, s. str.

Maladera (s. str.) *amamiana* NOMURA, 1959 アマミビロウドコガネ
Maladera kamiyai amamiana NOMURA, Tōhō Gakuho (9):40, pl. II, f. 4&5, 1959 (Amami-Oshima).
 Distr. Japan (Amami-Oshima).

Maladera (s. str.) *cariniceps* (MOSEER, 1915) スジビロウドコガネ
Autoserica cariniceps MOSEER, Deut. Ent. Zeit. p. 341, 1915.
 Distr. Japan (Kyushu, Tsushima), Korea, China.

Maladera (s. str.) *castanea* (ARROW, 1913) アカビロウドコガネ
Aserica castanea ARROW, Ann. Mag. Nat. Hist. (8)12, p. 398, 1913 (Kobe, Japan, N. China).

Distr. Japan (Hokkaido, Chishima, Honshu, Tobishima, Awashima, Sado, Izu Is.-Oshima, To-shima, Niijima, Shikinejima, Kozujima, Miyake-jima, Mikura-jima, Hochijyo-shima, Hachijyo-kojima, Aogashima, Shikoku, Kyushu, Goto-Is., Tsushima, Yakushima), Tai-wan, China, N. America.

Maladera (s. str.) *ejimai* Y. MIYAKE et IMASAKA, 1987 ダンジョピロウドコガネ

Maladera (s. str.) *ejimai* Y. MIYAKE et IMASAKA, Ent. Rev. Japan 42(3):137-139, figs 1-5, 1987 (Meshima Is.).

Distr. Japan (Danjo Islands).

Maladera (s. str.) *hiranoi* Y. MIYAKE, 1986 トクノシマピロウドコガネ

Maladera (s. str.) *hiranoi* Y. MIYAKE, Lamellicornia (2)3-5, Text fig. 3, 1986 (Tokunoshima Is.).

Distr. Japan (Tokunoshima Is.).

Maladera (s. str.) *impressithorax* NOMURA, 1973 ムナクボピロウドコガネ

Maladera (s. str.) *impressithorax* NOMURA, 1973, Tōhō Gakuho (23):130-131, pl. 1, f. 9. (Higashi-nakama, Amami-Oshima).

Distr. Japan.

subsp. *impressithorax* NOMURA, 1973 ムナクボピロウドコガネ

Maladera (s. str.) *impressithorax* NOMURA, 1973, Tōhō Gakuho (23):130-131, pl. 1, f. 9 (Higashina-kama, Amami-Oshima).

Distr. Japan (Amami-Oshima).

subsp. *okinoerabuana* H. KOBAYASHI, 1978 オキノエラブピロウドコガネ

Maladera (s. str.) *okinoerabuana* H. KOBAYASHI, 1978, New Entomol. 27(4):15, fig. 2 (Okinoerabu Is.).

Distr. Japan (Okinoerabu-jima, Okinawa Is.).

Maladera (s. str.) *japonica* (MOTSCHULSKY, 1860) ピロウドコガネ

Serica japonica MOTSCHULSKY, Etud. Ent. IX, p. 15, 1860 (Japan).

Distr. Japan.

subsp. *japonica* (MOTSCHULSKY, 1860) s. str. ピロウドコガネ

Serica japonica MOTSCHULSKY, Etud. Ent. IX, p. 15, 1860 (Japan).

Distr. Japan (Hokkaido, Honshu, Tobishima, Awashima, Sado Is., Izu Is.-Toshima, Shikoku, Kyushu, Hiradoshima, Tsushima, Yakushima).

subsp. *yaeyamana* NOMURA, 1963 ヤエヤマピロウドコガネ

Maladera kamiyai yaeyamana NOMURA, Ent. Rev. Japan 15(2):27, f. 1, 1963 (Irimote Is.).

Distr. Japan (Miyako-jima, Ishigaki-jima, Iriomote-jima).

Maladera (s. str.) *kamiyai* (SAWADA, 1937) カミヤピロウドコガネ

Serica kamiyai SAWADA, Nippon no Kochu 1(1):27, pl. IV, f. 3a, 3b, 6, pl. VI, f. 3, 10, 1937 (Daisen, Yamato, Matsuyama, Yamanakako, Hakone, Yamato-Kamikitayama-mura, Formosa-Musaya?, Arisan?).

Distr. Japan (Honshu, Okinoshima, Shikoku, Kyushu, Goto Is., Yakushima).

Maladera (s. str.) *kusuii* Y. MIYAKE, 1986 イヘヤジマピロウドコガネ

Maladera (s. str.) *kusuii* Y. MIYAKE, LAMELLICORNIA (2):2-3, Text-Fig. 2, 1986 (Iheyajima Is.).

Distr. Japan (Iheyajima).

Maladera (s. str.) *okinawaensis* H. KOBAYASHI, 1978 オキナワピロウドコガネ

Maladera (s. str.) *okinawaensis* H. KOBAYASHI, 1978, New Entomol, Nagano 27(4):14-15, f. 1 (Okinawa-honto, Mt. Yonaha-dake).

Distr. Japan (Okinawa Is.).

Maladera (s. str.) *opima* NOMURA, 1967 オオマルピロウドコガネ

Maladera (*Aserica*) *opima* NOMURA, Entom. Rev. Japan 19(2):52-53, T. f. 1, pl. 7, f. 1, 1967 (Mt. Hateruma, Iriomote-jima).

Distr. Japan (Miyako-jima, Ishigaki-jima, Iriomote-jima).

Maladera (s. str.) *orientalis* (MOTSCHULSKY, 1857) ヒメピロウドコガネ

Serica orientalis MOTSCHULSKY, Etud. Ent. VI, p. 33, 1857 (Japan).

Serica salebrosa BRENSKE, Berl. Ent. Zeit. p. 428, 1897 (Yokohama, Hakone, Echizen, Kiushiu).

Distr. Japan (Hokkaido, Honshu, Tobishima, Awashima, Sado, Izu Is., -Toshima, Niijima, Shikoku, Kyushu), Sakhalin, China, Mongol.

Maladera (s. str.) *oshimana* NOMURA, 1962 リュウキュウピロウドコガネ

Maladera orientalis oshimana NOMURA, Tohō Gakuho (12):38, f. 3, 1962 (Amami-Oshima).

Distr. Japan.

subsp. *okinawana* NOMURA, 1964 ヒメリュウキュウピロウドコガネ

Maladera cariniceps okinawana NOMURA, Ent. Rev. Japan 16(2):56, f. 1, 1964 (Okinawa Is. & Kumejima).

Distr. Japan (Okinawa-jima, Kumejima).

subsp. *oshimana* NOMURA, 1962 リュウキュウピロウドコガネ

Maladera orientalis oshimana NOMURA, Tohō Gakuho (12):38, f. 3, 1962 (Amami-Oshima).

Maladera cariniceps oshimana NOMURA, Ent. Rev. Japan 16(2):51, 1964.

Distr. Japan (Amami-Oshima, Tokunoshima).

subsp. *sakishimana* NOMURA, 1964 サキシマピロウドコガネ

Maladera cariniceps sakishimana NOMURA, Ent. Rev. Japan 16(2):51, f. 2, 1964 (Iriomote-jima & Ishigaki-jima).

Distr. Japan (Miyakojima, Ishigaki-jima, Iriomote-jima, Yonakuni-jima).

Maladera (s. str.) *renardi* (BALLION, 1870) オオピロウドコガネ

Serica renardi BALLION, Bull. Moscou, 1870, p. 339 (E. Siberia, Permske)

Serica motschulsky BRENSKE, Berl. Ent. Zeit., p. 370, 1897 (Korea).

Serica sibirica BRENSKE, Berl. Ent. Zeit., 1897, p. 372 (Vladivostok, Chabrofka).

Serica spissigrada MURAYAMA, Ann. Zool. Japon, p. 16, 1937 (Suigen).

Distr. Japan (Honshu, Sado, Izu Is. -Hachijyo-shima., Shikoku, Kyushu), Korea, China, E. Siberia.

Maladera (s. str.) *satoi* NOMURA, 1961 トカラピロウドコガネ

Makadera (s. str.) *satoi* NOMURA, Toho Gakuho (11):73, f. a~d, 1961 (Nakanoshima).

Distr. Japan (Osumi-Kuroshima, Tokara-Nakanoshima, Kuchinoshima).

Maladera (s. str.) *secrata* (BRENSKE, 1897) マルガタビロウドコガネ

Autoserica secrata BRENSKE, Berl. Ent. Zeit. 1897, p. 341 (Tsuruga, Nagahama, Fushiki, Shimonoseki, Kiushu, Nagasaki, Hagi, Hiogo, Yokohama).

Autoserica takaona NIJJIMA et KINOSHITA, Res. Bull. Coll. Exp. Forest Coll. Agr. Gokkaido Imp. Univ. Japan, IV, pp. 11, 80, pl. iii, f. 2, 1927 (Awa, Takao-san).

Autoserica uyei NIJJIMA et KINOSHITA, I. C., pp. 12, 80, pl. 1, f. 8, pl. iii, f. 3, 1927 (Oita).
Distr. Japan (Honshu, Izu Is.-Oshima., Shikoku, Kyushu, Hirato-jima, Tsushima), Taiwan, China.

Subgenus *Eumaladera* NOMURA, 1967

Eumaladera NOMURA, Ent. Rev. Japan, 19(2):53.

(type-species: *Maladera nitididorsis* NOMURA, 1967)

Maladera (*Eumaladera*) *nitidiceps* NOMURA, 1967 チビビロウドコガネ

Maladera (*Eumaladera*) *nitidiceps* NOMURA, Entom. Rev. Japan, 19(2):55-56, Taf. 3, pl. 7, f. 3 & 4 (Iriomote Is.).

Distr. Japan (Iriomote-jima, Yonakuni-jima).

Maladera (*Eumaladera*) *nitididorsis* NOMURA, 1967 ツヤズビロウドコガネ

Maladera (*Eumaladera*) *nitididorsis* NOMURA, Entom. Rev. Japan 19(2):54-55, f. 2, pl. 7, f. 2, 1967 (Amami-Oshima).

Distr. Japan (Amami-Oshima).

Genus *Hoplomaladera* NOMURA, 1974 ミゾビロウドコガネ属

Hoplomaladera NOMURA, 1974, Tohō Gakuho (24):82, 92.

(type-species: *Hoplomaladera shibatai* NOMURA, 1974)

Hoplomaladera saitoi H. KOBAYASHI, 1975 ミゾビロウドコガネ

Hoplomaladera saitoi H. KOBAYASHI, New Entomol. 24(2/3):9-10, 1975 (Kanpira, Iriomote-jima).

Distr. Japan (Iriomote-jima).

Genus *Gastroserica* BRENSKE, 1897 シマビロウドコガネ属

Gastroserica BRENSKE, Berl. Ent., Zeit., 1897, p. 412.

(type-species: *Serica marginalis* BRENSKE, 1894)

Gastroserica brevicornis (LEWIS, 1895) コヒゲシマビロウドコガネ

Serica brevicornis LEWIS, Ann. Mag. Nat. Hist. (6)XVI, 1895, p. 393 (Nikko, Shinkano).

Microserica nikkoensis BRENSKE, Berl. Ent. Zeitsch. XLII, p. 435, 1897 (Nikko).

Distr. Japan (Honshu, Shikoku, Kyushu).

Gastroserica higonia (LEWIS, 1859) ヒゴシマビロウドコガネ

Serica higonica LEWIS, Ann. Mag. Nat. Hist. (6)XVI, 1895, p. 394 (Hitoyoshi, Konose, Yuyama).

Distr. Japan (Kyushu).

Genus *Gastromaladera* NOMURA, 1973 オオシマピロウドコガネ属
Gastromaladera NOMURA, Tohō Gakuho (23):122-123, 1973.
 (type-species: *Gastroserica major* NOMURA, 1959)

Gastromaladera major (NOMURA, 1959) オオシマピロウドコガネ
Gastromaladera major NOMURA, Tohō Gakuho (9):40-41, 1959 (Amami-Oshima).
 Distr. Japan (Amami-oshima, Tokuno-shima).

Genus *Paraserica* REITTER, 1896 ハイイロピロウドコガネ属
Paraserica REITTER, Wien Ent. Zeit. XV, Heft. IV, V, p. 183, 1896.
 (type-species: *Serica grisea* MOTSCHULSKY, 1866)

Paraserica grisea (MOTSCHULSKY, 1866) ハイイロピロウドコガネ
Serica grisea MOTSCHULSKY, Bull. Mosc. I, p. 171, 1866 (Japan).
 Distr. Japan (Hokkaido, Honshu, Shikoku, Awa-shima, Sado-gashima, Hirato-shima, Kyushu).

Genus *Pachyserica* BRENSKE, 1897 ウスグモピロウドコガネ属
Pachyserica BRENSKE, Berl. Ent. Zeitscher, p. 420, 1897.
 (type-species: *Pachyserica rubrobasalis* BRENSKE, 1897)

Pachyserica yanoi NOMURA, 1959 ヤノウスグモピロウドコガネ
Pachyserica yanoi NOMURA, Toho Gakuho (9):41, pl. 2, f. 6~7, 1959 (Ishigaki-jima).
 Distr. Japan (Ishigaki-jima, Iriomote-jima).

Genus *Serica* MAC LEAY, 1819 ヒゲナガピロウドコガネ属
Serica MAC LEAY, 1819, Horae Ent. I:146.
 (type-species: *Scarabaeus brunneus* LINNÉ, 1758)
Trichoserica REITTER, 1896, Wien. ent. Ztg., 15, p. 181, 183.
Ophthalmoserica BRENSKE, 1897, Berl. ent. Zeitschr. 42, p. 356 (Subg.).

Serica boops WATERHOUSE, 1875 ヒゲナガピロウドコガネ
Serica boops WATERHOUSE, Trans. ent. Soc. London, p. 101, 1875 (Maiyasan, Hyogo).
Ophthalmoserica niijimai KONTKANEN, Suomen Hyönteeristieteellinen Aikakauskirja 22(2):No. 2, p. 60,
 1956 (Karizawa, Odaira).
Ophthalmoserica inexpectata KONTKANEN, Suomen Hyönteiteellinen Aikakawkirja 22(2):60, 1960
 (Odaira).
 Distr. Japan (Honshu, Izu Is.-Oshima, Toshima, Miyakejima, Mikura-jima, Hachijyo-jima,
 Hachijyo-kojima, Shikoku, Kyushu).

Serica brevitarsis NOMURA, 1972 コヒゲナガピロウドコガネ
Serica brevitarsis NOMURA, Tohō Gakuho (22):117-118, Text Figs. 5&6, pl. 1, f. 5a, pl. 3, f. 5; pl.
 4, f. 5, 1972 (Hirakura).
 Distr. Japan.

- subsp. *brevitarsis* NOMURA, 1972 コヒゲナガピロウドコガネ
Serica brevitarsis NOMURA, Tōhō Gakuho (22):117-118, Text Figs. 5&6, pl. 1, f. 5a, pl. 3, f. 5; pl. 4, f. 5, 1972 (Hirakura).
 Distr. Japan (W. Honshu-Kinki Dist.).
- subsp. *rectipes* NOMURA, 1972 ヒメコヒゲナガピロウドコガネ
Serica brevitarsis rectipes NOMURA, Tōhō Gakuho (22):118, Text. Figs. 7&8, pl. 1, f. 5b, 1972 (Mt. Tsurugi, Tokushima Pref.).
 Distr. Japan (W. Honshu, Shikoku, Kyushu).
- Serica echigoana* (NAKANE et BABA, 1960) エチゴピロウドコガネ
Ophthalmoserica echigoana NAKANE et BABA, Entom. Rev. Japan 12(1):6, 1960 (Kurokawa).
 Distr. Japan (N. Honshu).
- Serica foobowana* SAWADA, 1937 フウボウピロウドコガネ
Serica foobowana SAWADA, Nippon no Kochu 1(1):20, f. 3, pl. IV, f. 9, pl. V, f. 2, pl. VI, f. 6, 1937 (Mt. Ohdaigahara).
 Distr. Japan (Honshu).
- Serica incurvata* (NOMURA, 1971) アシマガリピロウドコガネ
Trichoserica incurvata NOMURA, Ent. Rev. Japan 23(2):67-68, Text. Figs. 3, pl. 5, f. 3&4, 1971 (Yunotaira Spa. Gumma Pref.).
 Distr. Japan (Hokkaido, Honshu).
- Serica karafutoensis* NIJIMA et KINOSHITA, 1923 エゾピロウドコガネ
Serica karafutoensis NIJIMA et KINOSHITA, Res. Bull. Exp. Forest. Coll. Agr. Hokkaido Imp. Univ. Japan 2(2):17, 219, pl. iii, f. 5, 1923 (Sachalin).
 Distr. Japan, Sakhalin.
- subsp. *honshuensis* NOMURA, 1972 ホンシュウピロウドコガネ
Serica karafutoensis honshuensis NOMURA, Tōhō Gakuho (22):130-131, pl. 2, f. 18c & 18d, pl. 3, f. 18, 1972 (Renge Spa. Niigata Pref.).
 Distr. Japan (Honshu).
- subsp. *karafutoensis* NIJIMA et KINOSHITA, 1923 エゾピロウドコガネ
Serica karafutoensis NIJIMA et KINOSHITA, Res. Bull. Exp. Forest. Coll. Agr. Hokkaido Imp. Univ. Japan, II (2):17, 219, pl. iii, f. 5, 1923 (Sachalin).
 Distr. Japan (Hokkaido), Kulire Is. Sakhalin.
- Serica nigrovariata* LEWIS, 1895 クロホシピロウドコガネ
Serica nigrovariata LEWIS, Ann. Mag. Nat. Hist. XVI, p. 392, 1895 (Maebashi).
Serica nigrovariata var. *nigripensis* SAWADA, 1937, Nippon no Kochu 1, p. 15.
 Distr. Japan (Hokkaido, Honshu).
- Serica nipponia* (NOMURA, 1971) ヤマトピロウドコガネ
Ophthalmoserica nipponica NOMURA, Tōhō Gakuho (9):46, pl. II. 14, 1959 (Shiga, Gifu, Saitama, Gumma, Yamagata Pref.).
 Distr. Japan (Honshu).

- Serica nitidiceps* (NOMURA, 1971) ツヤズビロウドコガネ
Trichoserica nitidiceps NOMURA, Ent. Rev. Japan 23(2):69-70, Text. figs.5, pl.5, f.7, 1971
 (Mt. Sobo, Oita Pref.).
 Distr. Japan (Shikoku, Kyushu).
- Serica nitididorsis* (NOMURA, 1971) ホソヒゲナガビロウドコガネ
Trichoserica elongata nitidorsis NOMURA, Ent. Rev. Japan 23(2):70-71, 1971 (Mt. Kuju, Oita Pref.).
 Distr. Japan.
 subsp. *nitidorsis* (NOMURA, 1971) ホソヒゲナガビロウドコガネ
Trichoserica elongata nitidorsis NOMURA, Ent. Rev. Japan 23(2):70-71, 1971 (Mt. Kuju, Oita Pref.).
 Distr. Japan (Kyushu).
 subsp. *opacidorsis* NOMURA, 1972
Serica nitididorsis opacidorsis NOMURA, Tōhō Gakuho (22):127, pl. 2, f. 14a, b, pl. 3, f. 14, pl. 4,
 f. 4, 1972 (Sagashio, Yamanashi Pref.).
Ophthalmoserica elongata NOMURA, 1959, Tōhō Gakuho (9):47-48, pl. II, f. 16, 1959 (Yamanashi, Na-
 gano, Gunma Pref.).
 Distr. Japan (Honshu, Shikoku).
- Serica ovata* (NOMURA, 1971) マルヒゲナガビロウドコガネ
Trichoserica ovata NOMURA, Ent. Rev. Japan 23(2):70, Text. Fig. 6, pl. 5, f. 8&9, 1971 (Okutama).
 Distr. Japan (Honshu).
- Serica pilosa* (NOMURA, 1971) ケブカビロウドコガネ
Trichoserica pilosa NOMURA, Ent. Rev. Japan 23(2):66-67, Text. f. 2, pl. 5, f. 1&2, 1971 (Mt.
 Ishizuchi, Ehime Pref.).
 Distr. Japan (Shikoku, Kyushu).
- Serica planifrons* NOMURA, 1972 ツヤケシビロウドコガネ
Serica planifrons NOMURA, Tōhō Gakuho (22):123-124, pl. 1, f. 10, pl. 3, f. 10, pl. 4, f. 10a&b,
 1972 (Mt. Kirishima, Kagoshima Pref.).
Trichoserica opacifrons NOMURA, Ent. Rev. Japan 23(2):68-69, Text. f. 4, pl. 5, f. 5, 26, 1971
 (Kyushu, Yakushima).
 Distr. Japan (Shikoku, Kyushu).
- Serica rosinae* PIC, 1904
Serica (Ophthalmoserica) rosinae PIC, I' Echange, XX:35, 1904 (Sibirien).
 Distr. Japan, China (Manchuria), E. Siberia.
 subsp. *kurosawai* (NOMURA, 1959) クロサワビロウドコガネ
Ophthalmoserica kurosawai NOMURA, Tōhō Gakuho (9):45, pl. II, f. 12, 1959 (Yakushima).
 Distr. Japan (Yakushima).
- Serica takagii* SAWADA, 1937 ハラグロビロウドコガネ
Serica boops var. *takagii* SAWADA, Nippon no Kochu 1(1):18, 1937 (Oku-Nikko).
Serica boops var. *unicolor* SAWADA, Nippon no Kochu 1(1):18, 1937 (Nikko).
Ophthalmoserica sawadai NOMURA, Tōhō Gakuho (9):43-44, pl. II, f. 9, 1959 (Nagano, Gunma, Ya-
 manashi Pref.).

Distr. Japan (Hokkaido, Honshu).

Serica tokejii (NOMURA, 1959) トケジピロウドコガネ

Ophthalmoserica tokejii NOMURA, Tōhō Gakuho (9):47, pl. II, f. 15, 1959 (Mt. Takachiho, Miyazaki Pref.).

Distr. Japan (Kyushu).

Serica trichofemorata (NOMURA, 1959) モモケピロウドコガネ

Ophthalmoserica trichofemorata NOMURA, Tōhō Gakuho (9):44, pl. II, f. 10 & 11, 1959 (Mt. Gomanodan Wakayama, Yamanashi, Gumma, Kanagawa Pref.).

Distr. Japan (Honshu, Kyushu).

Serica yoshidai (NOMURA, 1959) ヨシダピロウドコガネ

Ophthalmoserica yoshidai NOMURA, Tōhō Gakuho (9):45-46, pl. II, f. 13, 1959 (Mt. Tsurugi, Tokushima Pref.).

Distr. Japan (Shikoku).

Genus *Nipponoserica* NOMURA, 1973 カバイロピロウドコガネ属

Nipponoserica NOMURA, Tōhō Gakuho (23):139, 1973.

(type-species: *Serica similis* LEWIS, 1895)

Nipponoserica daisensis (SAWADA, 1937) ダイセンピロウドコガネ

Serica similis var. *daisensis* SAWADA, Nippon no Kochu 1(1):24, pl. III, f. 3a, b, c, 1937 (Mt. Daisen).

Distr. Japan.

subsp. *daisensis* (SAWADA, 1937) ダイセンピロウドコガネ

Serica similis var. *daisensis*, Nippon no Kochu 1(1):24, pl. III, f. 3a, b, c, 1937 (Daisen).

Distr. Japan (Honshu).

subsp. *lewisi* (CHAPIN, 1938) ルイスカバイロピロウドコガネ

Serica lewisi CHAPIN, Journ. Wash. Acad. Sci. 28(2):68, f. 5 & 6, 1938 (Hitoyoshi).

Distr. Japan (Kyushu).

Nipponoserica gomadana NOMURA, 1976 ゴマダンピロウドコガネ

Nipponoserica gomadana NOMURA, Tōhō Gakuho (26):187-188, pl. VI, fig. 37, 1976 (Mt. Gomanodan Wakayama Pref.).

Distr. Japan (Honshu).

Nipponoserica kunitachiensis NOMURA, 1976 クニタチピロウドコガネ

Nipponoserica kunitachiana NOMURA, Tōhō Gakuho (26):190, pl. VII, f. 42, 1976 (Kunitachi, Tokyo Met.)

Distr. Japan (Honshu).

Nipponoserica peregrina (CHAPIN, 1938) ワタリピロウドコガネ

Serica peregrina CHAPIN, Journ. Wash. Acad. Sci. XXVIII(2):68, fig. 3 & 4, 1938 (Long I., N. America).

Distr. Japan (Honshu), N. America.

Nipponoserica pubiventris NOMURA, 1976 ハラゲピロウドコガネ
Nipponoserica pubiventris NOMURA, Tōhō Gakuho (26):189-190, pl. VII, figs. 40, 41, 1976 (Kiyosato).
 Distr. Japan (Honshu).

Nipponoserica setivevtris NOMURA, 1976 イワワキピロウドコガネ
Nipponoserica setivevtris NOMURA, Tōhō Gakuho (26):188-189, pl. VII, fig. 39, 1976 (Mt. Iwawaki).
 Distr. Japan (Honshu).

Nipponoserica similis (LEWIS, 1895) カバイロピロウドコガネ
Serica similis LEWIS, Ann. Mag. Nat. Hist. (6)XVI, p. 391, 1895 (Nagasaki, Hitoyoshi, Nikko, Wada-toge).
 Distr. Japan (Shokoku, Kyushu, Tsushima).

Genus *Sericania* MOTSCHULSKY, 1860 チャイロコガネ属
Sericania MOTSCHULSKY, Schrenck's Reisen im Amur-Lande, 2, p. 256.
 (type-species: *Sericania fusolineata* MOTSCHULSKY, 1860)
Mesoserica BRENSKE, 1897, Berl. ent. Zeitschr. 42, p. 355.

Sericania aikyoi SAWADA, 1955 アイキョウチャイロコガネ
Sericania aikyoi SAWADA, Jour. Agr. Sci. Tokyo Nogyo Daigaku 2(4):573-576, pl. XLI, f. 12, 16,
 1955 (Nidoage, Niigata, Asamakogen, Kuridaira, Kirizumi-Gunma Pref.).
 Distr. Japan (Honshu).

Sericania alterata SAWADA, 1938 ヒラタチャイロコガネ
Sericania alterata SAWADA, Nippon no Kochu 2(1):12, 19, pl. II, f. 1, pl. III, f. 5, 6, pl. IV, f. 3,
 1938 (Kawai, Kamikitayama, Yamato, Minogo Onomichi, Totorimi Osaka).
 Distr. Japan (Honshu).

Sericania akitai H. HIRASAWA, 1987 フジワラチャイロコガネ
Sericania akitai H. HIRASAWA, LAMELLICORNIA (3):13-14, fig. 1, 1987 (Mt. Fujiwara-Mts. Suzuka,
 Mie Pref.).
 Distr. Japan (Honshu).

Sericania angulata (LEWIS, 1895) クロチャイロコガネ
Serica angulata LEWIS, Ann. Mag. Nat. Hist. (6)XVI, p. 392, 1895 (Oyayama).
Sericania shinaoensis NIJJIMA et KINOSHITA, Res. Bull. Coll. Agr. Ex. Forest Hokkaido Imp.
 Univ., Sapporo Japan, II, 2, 1923, pp. 34, 219, Taf. II, f. 7.
 Distr. Japan (Shikoku, Kyushu).

Sericania awana NOMURA, 1976 アワチャイロコガネ
Sericania sp. MIYAKE, HIURA, MIZOGUCHI & NISHIOKA, 1958, Konchu Kagaku (7):13, fig. 6.
Sericania awana NOMURA, Tōhō Gakuho 1976, (26):175, pl. 1, fig. 9 (Koyadaira).
 Distr. Japan (Shokoku).

- Sericania babai* NOMURA, 1976 パバチャイロコガネ
Sericania babai NOMURA, Tōhō Gakuho (26):177, pl. II, f. 14, 1976 (Mt. Shinbotake).
 Distr. Japan (Honshu).
- Sericania chikuzensis* SAWADA, 1938 チクゼンチャイロコガネ
Sericania chikuzensis SAWADA, Nippon no Kochu 2(2):70, fig. 1a-c, ♀, 1938 (Mt. Wakasugi).
Sericania tohokuensis hayashii NOMURA, 1959, Tōhō Gakuho (9):42, ♂, (Hoki-Daisen).
 Distr. Japan (Honshu, Shikoku, Kyushu).
- Sericania elongata* NOMURA, 1976 ホソチャイロコガネ
Sericania elongata NOMURA, Tōhō Gakuho (26):182-183, pl. IV, f. 30, 1976 (Mt. Ishizuchi).
 Distr. Japan (Honsu, Shikoku).
- Sericania fulgida* NIJIMA et KINOSHITA, 1927 ツヤチャイロコガネ
Sericania fulgida NIJIMA et KINOSHITA, Res. Bull. Coll. Agr. Ex. Forest Hokkaido Imp. Univ.
 Sapporo, Japan, IV, 1927, pp. 14, 81, Taf. I, f. 59, Taf. III, f. 4 (Chuzenji, Nikko).
Sericania testacea SAWADA, Nippon no Kochu 2(1):12, 21, ♀, 1938 (Oshimizu, Nikko).
 Distr. Japan.
- subsp. *fulgida* NIJIMA et KINOSHITA, 1927. s. str. ツヤチャイロコガネ
Sericania fulgida NIJIMA et KINOSHITA, Res. Bull. Coll. Agr. Ex. Forest Hokkaido Imp. Univ.,
 Sapporo Japan, IV, 1927, pp. 14, 81, Taf. I, f. 59, Taf. III, f. 4 (Chuzenji, Nikko).
Sericania testacea SAWADA, Nippon no Kochu 2(1):12, 21, ♀, 1938 (Oshimizu, Nikko).
 Distr. Japan.
- subsp. *lineata* SAWADA, 1939 スジチャイロコガネ
Sericania fulgida var. *lineata* SAWADA, Nippon no Kochu 3(1):48, ♀, 1939 (Mt. Odaigahara).
 Distr. Japan (Honshu, Shikoku).
- Sericania fuscolineata* MOTSCHULSKY, 1860 クロスジチャイロコガネ
Sericania fuscolineata MOTSCHULSKY, Schrenk's Amur-Reisen, II, 1860, p. 136, t. f. 10 (bords du
 fl. Amour).
 Distr. Japan, Sakhalin, E. Siberia, Korea, China.
- subsp. *ezoensis* NOMURA, 1976 エゾチャイロコガネ
Sericania fuscolineata ezoensis NOMURA, Tōhō Gakuho (26):184, 1976 (Wakkasakinai)
 Distr. Japan (Hokkaido), Sakhalin.
- subsp. *fuscolineata* MOTSCHULSKY, 1860. s. str. クロスジチャイロコガネ
Sericania fuscolineata MOTSCHULSKY, Schrenk's Amur-Reisen, II, 1860, p. 130, t. f. 10 (bords du
 fl. Amur)
 Distr. Japan (Tsushima), Korea, E. Siberia, Manchuria.
- subsp. *nippoensis* NOMURA, 1976 ヤマトチャイロコガネ
Sericania fuscolineata nippoensis NOMURA, Tōhō Gakuho (26):194, 1976 (Mt. Daisen).
 Distr. Japan (W. Honshu, Shikoku).
- Sericania galloisi* NIJIMA et KINOSHITA, 1927 ガロアチャイロコガネ
Sericania galloisi NIJIMA et KINOSHITA, Res. Bull. Col. Agr. Ex. Forest Hokkaido Imp. Univ.,
 Sapporo, Japan, N. 1927, pp. 15, 82, Taf. I, f. 38, Taf. III, f. 5 (Chuzenji, Nikko).
 Distr. Japan (Honshu).

- Sericania hidana* NIJIMA et KINOSHITA, 1923 ヒダチャイロコガネ
Sericania hidana NIJIMA et KINOSHITA, Res. Bull. Col. Arg. Ex. Forest, Hokkaido Imp. Univ.
 Sapporo Japan II, 2, 1923, p. 32, 218, Taf. II, f. 9, 9a (Hida).
 Distr. Japan (Honshu).
- Sericania hiranoi* Y. MIYAKE, 1988 ヒラノチャイロコガネ
Sericania hiranoi Y. MIYAKE, Ent. Rev. Japan 43(1):77-78, Fig. 1, 1988 (Omogo-kei Ehime Pref.).
 Distr. Japan (Shikoku).
- Sericania Hirosei* Y. MIYAKE et NAKAMURA, 1995 ヒバチャイロコガネ
Sericania Hirosei Y. MIYAKE et NAKAMURA, HIBAKAGAKU (164):9-12, Fig. 1-3, 1995 (Takano-Hiroshi-
 ma Pref. Inbara-Shimane Pref.).
 Distr. Japan (Honshu).
- Sericania imadatei* SAWADA, 1955 イマダテチャイロコガネ
Sericania imadatei SAWADA, Jour. Agr. Sci. Tokyo Nogyo Daigaku 2(4):567-569, pl. XL, f. 1114,
 pl. XLI, f. 5, 6, 1955 (Kasuga-Nara, Shigago-e-Shiga).
 Distr. Japan (Honshu, Shikoku).
- Sericania kadowakii* NAKANE, 1983 オキチャイロコガネ
Sericania kadowaki NAKANE, Frag. Coleop. (35/37):141, Fig. 7, 1983 (Oki Is. Shimane Pref.).
 Distr. Japan (Oki Is.).
- Sericania kamiyai* SAWADA, 1938 カミヤチャイロコガネ
Sericania kamiyai SAWADA, Nippon no Kochu 2(1):16, 22, pl. 2, f. 7, pl. 3, f. 7, pl. 4, f. 7, 1938
 (Mt. Hakkodasan).
 Distr. Japan (Hokkaido, Honshu).
- Sericania kirai* SAWADA, 1938 キラチャイロコガネ
Sericania kirai SAWADA, Nippon no Kochu 2(2):69, 1938 (Mt. Hirao, Fukuoka Pref.).
 Distr. Japan (Honshu, Shikoku, Kyushu).
- Sericania kobayashii* NOMURA, 1976 コバヤシチャイロコガネ
Sericania kobayashii NOMURA, Tōhō Gakuho (26):173, pl. 1, f. 2, 1976 (Mt. Gomanodan, WAKAYAMA).
 Distr. Japan (Honshu).
- Sericania kompira* Y. MIYAKE et SANO, 1996 コンピラチャイロコガネ
Sericania kompira Y. MIYAKE et SANO, Ent. Rev. Japan 51(2):117, Fig. 1-4, 1996 (Mt. Zouzusan,
 Kotohira Town, Kagawa Pref.).
 Distr. Japan (Shikoku).
- Sericania lewisi* ARROW, 1913 ルイスチャイロコガネ
Sericania lewisi ARROW, Ann. Mag. Nat. Hist. (8)XII, 1913, p. 397 (Yokohama, Chuzenji, Nikko).
Sericania lewisi var. *yamamotoi* SAWADA, Nippon no Kochu 2(1):13, 22, 1938 (Nebazawa in Oku-Ni-
 kko).
 Distr. Japan (Honshu).

- Sericania marginata* NOMURA, 1973 フチグロチャイロコガネ
Sericania marginata NOMURA, Ent. Rev. Japan 25(1/2):14-18, Text Fig. 3; pl. 4, f. 3&4, 1973
 (Azusayama, Nagano Pref.).
 Distr. Japan (Honshu).
- Sericania matsuyamana* SAWADA, 1938 マツヤマチャイロコガネ
Sericania matsuyamana SAWADA, Nippon no Kochu 2(2):70, f. 3a, b, ♂, 1938 (Matsuyama, Nara
 Pref.).
 Distr. Japan (Honshu).
- Sericania matusitai* SAWADA, 1955 マツシタチャイロコガネ
Sericania matusitai SAWADA, Jour. Agr. Sci. Tokyo Nogyo Daigaku 2(4):569-571, pl. XL, f. 15, 16,
 pl. XLI, f. 7, 8, p. 15, 1955 (Gifu-park).
 Distr. Japan (Honshu).
- Sericania mimica* LEWIS, 1895 ナヘドコチャイロコガネ
Sericania mimica LEWIS, Ann. Mag. Nat. Hist. (6)XVI, 1895, p. 390 (Miyanoshita).
Sericania quinquefoliata SAWADA, Nippon no Kochu 2(1):16, 23, pl. II, f. 8, pl. IV, f. 8, 1938
 (Okutama).
Sericania takaowana SAWADA, Nippon no Kochu 2(1):17, 24, pl. II, f. 9, pl. III, f. 9, pl. IV, f. 9,
 1938 (Mt. Takao, Tokyo Met.).
 Distr. Japan (Honshu, Shikoku).
- Sericania minuscula* NOMURA, 1976 ヒメチャイロコガネ
Sericania minuscula NOMURA, Tōhō Gakuho (26):183, pl. V, f. 31, 1976 (Mt. Ichinodake, Fukuoka
 Pref.).
 Distr. Japan (Kyushu).
- Sericania miyakei* NOMURA, 1960 ミヤケチャイロコガネ
Sericania miyakei NOMURA, Tōhō Gakuho (10):60, 1960 (Tashiro, Fukuoka Pref.).
 Distr. Japan (Kyushu).
- Sericania ohirai* SAWADA, 1960 オオヒラチャイロコガネ
Sericania ohirai SAWADA, Jour. Agr. Sci. Tokyo Nodai 6(1):9-12, pl. 1, 1961 (Mt. Hongu Aichi
 Pref.).
 Distr. Japan (Honshu).
- Sericania ohtakei* SAWADA, 1955 オオタケチャイロコガネ
Sericania ohtakei SAWADA, Jour. Agr. Sci. Tokyo Nogyo Daigaku II (4):565-567, pl. XL, f. 6~10,
 pl. XLI, f. 3, 4, 1955 (Tokio-Mt. Takao, Asakawa, Seagaya, Tokiwa near Okazaki in Aichi).
 Distr. Japan (Honshu).
- Sericania ohtsukai* Y. MIYAKE, 1988 オオツカチャイロコガネ
Sericania ohtsukai Y. MIYAKE, 1988, Ent. Rev. Japan 43(1):78-80, Fig. 2, 1988 (Kumamoto Pref.).
 Distr. Japan (Kyushu).

- Sericania opaca* NOMURA, 1973 イツバクロチャイロコガネ
Sericania quadrifoliata opaca NOMURA, Ent. Rev. Japan 26(1/2):16-17, Text. fig. 2, 1973 (Mt. Tsu-
 rugi, Shikoku, Kyushu).
 Distr. Japan (Shikoku, Kyushu).
- Sericania quadrifoliata* (LEWIS, 1895) ヨツバチャイロコガネ
Serica quadrofoliata LEWIS, Ann. Mag. Nat. Hist. (6)XVI, 1895, p. 393 (Nikko).
Sericania Shinanoensis NIJJIMA et KINOSHITA, Res. Bull. Coll. Exp. Forest, Coll. Agr., Hokka-
 ido Imp. Univ. Japan 2(2):34, 219, pl. II, f. 7, 1923.
- Sericania sachalinensis* (MATSUMURA, 1911) カラフトチャイロコガネ
Mesoserica sachalinensis MATSUMURA, Jour. Col. Agr. Tohoku Imp. Univ., Sapporo 4(1):118, 1911
 (Saghalien).
Sericania kurilensis MEDVEDEV, Fauna U. S. S. R. Col. 10(2):121, 1952.
 Distr. Japan (Hokkaido, Honshu), Saghalien, Kurile Is.
- Sericania serripes* NOMURA, 1973 スジアシクロチャイロコガネ
Sericania serripes NOMURA, Ent. Rev. Japan, 25(1/2):14-15, Text. Fig. 1, pl. 4, f. 1&2, 1973
 (Mt. Kuju, Oita Pref.).
 Distr. Japan (Honshu, Kyushu).
- Sericania shikokuana* NAKANE, 1954 シコクチャイロコガネ
Sericania quadrifoliata shikokuana NAKANE, Trans. Shikoku Ent. Soc. IV(1):12, 1954 (Mt. Ishi-
 zuchi).
Sericania angulata shikokuana NOMURA, Tōhō Gakuho (10):60, 1960.
 Distr. Japan (Shikoku).
- Sericania sinuata* NOMURA, 1959 エゾチャイロコガネ
Sericania sinuata NOMURA, Tōhō Gakuho (9):42-44, pl. 2, f. 8, 1959 (Maruyama, Hokkaido).
 Distr. Japan (Hokkaido).
- Sericania suturalis* NOMURA, 1976 セスジチャイロコガネ
Sericania suturalis NOMURA, Tōhō Gakuho (26):182, pl. IV, f. 29, 1976 (Mt. Misaka, Yamanashi
 Pref.).
 Distr. Japan (Honshu).
- Sericania tohokuensis* SAWADA, 1955 トウホクチャイロコガネ
Sericania tohokuensis SAWADA, Jour. Sci. Agr. Tokyo Nogyo Daigaku 2(4):571-573, pl. XL, f. 17,
 18, pl. XLI, f. 9, 10, 11, 1955 (Kakunodate-Akita, Ogunii-Yamagata, Hirusawa, Takatomicho-
 Yamagata, Mt. Senakaaburi, Higashi-yama-mura-Fukushima).
 Distr. Japan (Honshu).
- Sericania yamauchii* SAWADA, 1938 ヤマウチチャイロコガネ
Sericania yamauchii SAWADA, Nippon no Kochu 2(1):12, 18, pl. III, f. 1, 4, pl. IV, f. 1, 2, 1938 (Mt.
 Hiko).
Sericania hasegawai MURAYAMA, 1941, Annot. Zool. Japan, 20, p. 37 (Korea, Koryo).

Distr. Japan (Shikoku, Kyushu), Korea, Manchuria.

Tribe RHYZOTROGINI クロコガネ族

Genus *Apogonia* KIRBY, 1818 カンシヨコガネ属
Apogonia KIRBY, Trans. Linn. Soc. Lond., XII, p. 401, 1818.
 (type-species: *Apogonia gemellata* KIRBY, 1818)

Apogonia amida LEWIS, 1896 ヒメカンシヨコガネ

Apogonia amida LEWIS, Ann. Mag. Nat. Hist. (6)XVII, 1896, p. 322 (Nagasaki and Kyushu).
 Distr. Japan (Honshu, Shikoku, Kyushu, Iki, Hekura-jima), Taiwan, China.

Apogonia bicarinata LEWIS, 1896 フタスジカンシヨコガネ

Apogonia bicarinata LEWIS, Ann. Mag. Nat. Hist. (6)17, p. 333, 1896 (Nagasaki).
 Distr. Japan, Ryukyu Is., Taiwan.

subsp. *bicarinata* LEWIS, 1896, s. str. フタスジカンシヨコガネ

Apogonia bicarinata LEWIS, Ann. Mag. nat. hist. (6)17, p. 333, 1896 (Nagasaki).

Distr. Japan (Kyushu, Kuroshima, Nakano-shima, Takara-jima, Akuseki-jima, Amami-Oshima, Tokuno-shima, Okinoerabu-jima).

subsp. *okinawana* NOMURA, 1964 オキナワカンシヨコガネ

Apogonia bicarinata okinawana NOMURA Tōhō Gakuho (14):63, 1964 (Okinawa Is.).

Distr. Japan (Okinawa Is.).

subsp. *yaeyamana* NOMURA, 1965 ヤエヤマカンシヨコガネ

Apogonia bicarinata yaeyamana NOMURA, Entom. Rev. Japan 18(1):3, 1965 (Iriomote Is., Ishigaki Is.).

Distr. Japan (Ishigaki-jima, Iriomote-jima).

Apogonia bicavata ARROW, 1913 リュウキュウカンシヨコガネ

Apogonia bicavata ARROW, Ann. Mag. Nat. Hist. (8)XII, 1913, p. 399 (Okinawa).

Distr. Japan (Yakushima, Tokara Is. Okinawa, Kume-jima, Tokakushi-shima).

Apogonia cupreoviridis KOLBE, 1886 チョウセンカンシヨコガネ

Apogonia cupreoviridis KOLBE, Arch. f. Nat. LII, 1886, p. 193 (Soul, Fusan).

Distr. Japan, Ryukyu Is., Korea, Quel-part, Manchuria.

subsp. *cupreoviridis* KOLBE, 1886, s. str. チョウセンカンシヨコガネ

Apogonia cupreoviridis KOLBE, Arch. f. Nat. LII, 1886, p. 193 (Soul, Fusan).

Distr. Japan (Goto Is.), Korea, Quel-part, Manchuria.

subsp. *miyakoana* NOMURA, 1965 ミヤコカンシヨコガネ

Apogonia bicarinata miyakoana NOMURA, Entom. Rev. Jap. 18(1):3, 1965 (Miyako Is.).

Distr. Japan (Miyako-jima).

Apogonia ikedai H. KOBAYASHI, 1983 イケダカンシヨコガネ

Apogonia ikedai H. KOBAYASHI, New Entomol. 32(2):21-23, 1983 (Namekawa apa. Yonezawa, Yamagata

Pref.).

Distr. Japan (Honshu).

Apogonia ishiharai SAWADA, 1940 イシハラカンシヨコガネ

Apogonia ishiharai SAWADA, Journ. Agr. Sci. Tokyo Nodai 1(3):272-273, pl. X, f. 4, 1940 (Ashi-zuri-misaki, Tosa).

Distr. Japan, Tokara Is.

subsp. *ishiharai* SAWADA, 1940 s. str. イシハラカンシヨコガネ

Apogonia ishiharai SAWADA, Journ. Agr. Sci. Tokyo Nodai 1(3):272-273, pl. X, f. 4, 1940 (Ashi-zuri-misaki, Tosa).

Distr. Japan (Shikoku).

subsp. *iriei* Y, MIYAKE, 1986 イリエカンシヨコガネ

Apogonia ishiharai iriei Y, MIYAKE, LAMELLICORNIA (2):1, 1986.

Distr. Japan (Nakanoshima Is.).

subsp. *yakushimana* NOMURA, 1959 ヤクシマカンシヨコガネ

Apogonia ishiharai yakushimana NOMURA, Tōhō Gakuho (9):48, pl. III, f. 18, 1959 (Yakushima Is.).

Distr. Japan (Yakushima, Tokara, Akuseki-jima).

Apogonia kamiyai SAWADA, 1940 カミヤカンシヨコガネ

Apogonia kamiyai SAWADA, Jour. Agr. Sci. Tokyo Nogyo Daigaku 1(3):276, pl. X, f. 10, 1940 (Shijuki, Formosa).

Distr. Japan (Yonaguni Is., Ishigaki Is., Miyako Is.), Taiwan.

Apogonia major WATERHOUSE, 1875 オオカンシヨコガネ

Apogonia major WATERHOUSE, Trans. ent. Soc. London, 1875, p. 103 (Nagasaki).

Distr. Japan (Okinoshima Kochi Pref. Kyushu, Goto Is., Danjyo Is., Hirato-jima, Tsushima).

Apogonia shibuyai SAWADA, 1950 シブヤカンシヨコガネ

Apogonia shibuyai SAWADA, Jour. Agr. Sci. Tokyo Nodai 2(2):264, pl. XXVII, f. 9, pl. XXVII, f. 11, 1940 (Naze, Amami-Oshima).

Distr. Japan (Amami-Oshima, Tokuno-shima).

Genus *Miridiba* REITTER, 1902 クリイロコガネ属

Miridiba REITTER, 1902, Verh. Nat. Ver. Brunn. 40 (Best.-Tab. 50), p. 163, 170.

(type-species: *Rhyzotrogus trichophorus* FAIRMAIRE, 1891)

Neodontocnema ARROW, 1948, Proc. R. Ent. Soc. London (B) 17, p. 50.

Hippotrichia ARROW, 1948, Proc. Ent. Soc. London (B) 17, p. 51.

Miridiba castanea (WATERHOUSE, 1875) クリイロコガネ

Holotrichia castanea WATERHOUSE, Trans. ent. Soc. London, p. 108, 1875 (Kawachi).

Distr. Japan (Honshu, Shikoku, Kyushu), Korea, Quel-part, Amur, China.

Miridiba trichophora (FAIRMAIRE, 1891)

Rhizotrogus trichophorus FAIRMAIRE, Ann. Soc. Ent. Belg., 35, 1891, Compt. rend. p. 199 (China).
Distr. Japan (Iriomote-jima), China.

Genus *Holotrichia* HOPE, 1837 クロコガネ属
Holotrichia HOPE, 1837, Col. Man., 1, p. 99, 100.
(type-species: *Melolontha serrata* FABRICIUS, 1792).

Subgenus *Holotrichia* HOPE, 1837, s. str.

Holotrichia (s. str.) *amamiana* (NOMURA, 1964) アマミクロコガネ

Lachnosterna amamiana NOMURA, Entom. rev. Japan 16(2):52-53, pl. 7, f. 3, 1964 (Amami-Oshima).
Distr. Japan (Amami Oshima, Tokuno-shima).

Holotrichia (s. str.) *aritai* (NOMURA, 1964) アリタクリイロコガネ

Lachnosterna aritai NOMURA, Tōhō Gakuho (14):63-64, pl. 1, f. 5, 1964 (Iriomote Is.).
Distr. Japan (Ishigaki-jima, Iriomote-jima).

Holotrichia (s. str.) *convexopyga* MOSER, 1912 マルオククロコガネ

Holotrichia convexopyga MOSER, Ann. Soc. Ent. Belgique, LXI, p. 435, 1912 (China; Kiukiang, Japan; Kobe).
Lachnosterna convexopyga tametomo NOMURA, Entom. Rev. Japan, 21(2):72, 92, 1969 (Miyake-jima).
Distr. Japan (Honshu, Izu Is.-Toshima, Kouzu-jima, Shikine-jima, Miyake-jima, Kyushu),
China.

Holotrichia (s. str.) *danjoensis* Y. MIYAKE et IMASAKA, 1982 ダンジョコガネ

Holotrichia danjoensis Y. MIYAKE et IMASAKA, Ent. rev. Japan 37(1):75-77, pl. 3, 1982 (Meshima Is., Danjo Islands).
Distr. Japan (Danjo Islands near Kyushu).

Holotrichia (s. str.) *diomphalia* (BATES, 1888) チョウセンクロコガネ

Lachnosterna diomphalia BATES, Proc. Zool. Soc. London p. 373, 1888 (Fusan).
Distr. Japan (Kyushu: ex. ARROW, Tsushima: ex. MURAYAMA), Korea, Quel-part, E. Siberia, Manchuria, N. China.

Holotrichia (s. str.) *kiotonensis* BRENSKE, 1894 クロコガネ

Holotrichia kiotonensis BRENSKE, Mém. Soc. Ent. Belg. 1894, p. 19 et 68 (Kioto).
Holotrichia kiotonensis var. *waterhousei* BRENSKE, 1894, Mém. Soc. ent. Brlg., 2, p. 19 et 68 (Japan).
Lachnosterna inelegan LEWIS, Ann. Mag. Nat. Hist. 1865, p. 396 (Nagasaki, N. China).
Distr. Japan (Hokkaido, Honshu, Sado, Awashima, Shikoku, Kyushu, Kuroshima, Tsushima),
Korea, Sakhalin, E. Siberia, Manchuria, China.

Holotrichia (s. str.) *loochooana* (SAWADA, 1950) リュウキュウクロコガネ

Lachnosterna loochooana SAWADA, Jour. Agr. Sci. Tokyo Nogyo Daigaku II (2):265, 301, pl. 26, f.

14, 1950 (Ishigaki Is.).

Distr. Japan (Ryukyu Is.).

subsp. *lochooana* (SAWADA, 1950), s. str. リュウキュウクロコガネ

Lachnosterna lochooana SAWADA, Jour. Agr. Sci. Tokyo Nogyo Daigaku II (2):265, 301, pl. 26, f.

14, 1950 (Ishigaki Is.).

Distr. Japan (Miyako-jima, Ishigaki-jima, Iriomote-jima, Irabu-jima).

subsp. *okinawana* (NOMURA, 1964) オキナワクロコガネ

Lachnosterna lochooana okinawana NOMURA, Entom. Rev. Japan 15(2):63, pl. 7, f. 4, 1964 (Okinawa Is.).

Distr. Japan (Okinawa Is.).

subsp. *umebayashii* Y. MIYAKE, 1986 オキノエラブクロコガネ

Holotrichia lochooana umebayashii Y. MIYAKE, LAMELLICORNIA (2):1-2 (Okinoerabujima Is.).

Distr. Japan (Okinoerabu-jima Is.).

Holotrichia (s. str.) *parallela* (MOTSCHULSKY, 1854) オオクロコガネ

Ancylonycha parallela MOTSCHULSKY, 1854, Etud. ent., 3, p. 64 (Shingai).

Holotrichia morosa WATERHOUSE, Trans. ent. Soc. London, p. 104, 1875 (Nagasaki, Chee-foo).

Distr. Japan (Honshu, Shikoku, Kyushu, Tsushima), Korea, Quelpart, Sakhalin, Manchuria, China, Tibet.

Holotrichia (s. str.) *picea* WATERHOUSE, 1875 コクロコガネ

Holotrichia picea WATERHOUSE, Trans. ent. Soc. London, p. 103, 1875 (Nagasaki, Hakodate).

Lachnosterna picea izuensis NOMURA, Entom. Rev. Japan 21(2):73, 1969 (Oshima, Toshima, Kozujima, Mikura-jima, Izu Is.).

Distr. Japan (Hokkaido, Honshu, Awashima, Izu Is.-Oshima, Toshima, Shikine-jima, Kozujima, Mikura-jima, Shikoku, Kyushu), Korea, Manchuria, Mongolia, China.

Holotrichia (s. str.) *tokara* (NAKANE, 1956) トカラクロコガネ

Lachnosterna tokara NAKANE, Bull. Osaka Municip. Mus. Nat. hist. (7):5-6, pl. I, f. 2, pl. II, f. 2, 1956 (Takarajima, Nakanoshima-Tokara Is.).

Distr. Japan (Tokara Is.-Takara-jima, Nakanoshima, Akuseki-jima).

Subgenus *Eotrichia* MEDVEDEV, 1951

Eotrichia MEDVEDEV, 1951, Fauna SSSR 10(1):308.

(type-species: *Holotrichia titanus* REITTER, 1902)

Holotrichia (*Eotrichia*) *niponensis* (LEWIS, 1895) オオチャイロコガネ

Lachnosterna niponensis LEWIS, Ann. mag. nat. Hist (6)XVI, p. 399 (Nagasaki, Goto Is., Fusan in Korea).

Holotrichia titanus REITTER, Verh. Nat. Ver. XL, p. 178, 1902 (Ussuri).

Distr. Japan (Kyushu, Goto Is.:ex. Lewis), Korea, E. Siberia, China.

Holotrichia (*Eotrichia*) *koraiensis* MURAYAMA, 1937 ホクセンオオチャイロコガネ

Holotrichia koraiensis MURAYAMA, Chosen Hakubutugaku Zashi, 1937, p. 5.

Distr. Japan (Tsushima), N. Korea, Manchuria.

Genus *Pollaplonyx* WATERHOUSE, 1875 オオキイロコガネ属
Pollaplonyx WATERHOUSE, 1875, Trans. ent. Soc. London, 1875, p. 105.
 (type-species: *Pollaplonyx flavidus* WATERHOUSE, 1875)
Anomalochela NOSER, 1913, Dtsch. ent. Z., 1913, p. 60.

Pollaplonyx flavidus WATERHOUSE, 1875 オオキイロコガネ
Pollaplonyx flavidus WATERHOUSE, Trans. ent. Soc. London, p. 105-106, pl. III, f. 6, ♂, 1875 (Kumamoto).
 Distr. Japan (Honshu, Shikoku, Kyushu).

Genus *Sophros* FAIRMAIRE, 1887 ヒメクロコガネ属
Sophros FAIRMAIRE, 1887, Ann. Soc. ent. Berl., Compt. rend. p. 106.
 (type-species: *Sophros parviceps* FAIRMAIRE, 1887)
Microtrichia BRENSKE, 1900, Stett. ent. Ztg., 61, p. 341.
 (type-species: *Microtrichia puttalana* BRENSKE, 1900).

Sophros kawadai (NOMURA, 1959) アマミヒメクロコガネ
Microtrichia kawadai NOMURA, Tōhō Gakuho (9):48-49, pl. III, f. 19&20, 1959 (Amami-Oshima)
 Distr. Japan (Ryukyu Is.).
 subsp. *kawadai* (NOMURA, 1959) s. str. アマミヒメクロコガネ
Microtrichia kawadai NOMURA, Tōhō Gakuho (9):48-49, pl. III, f. 19&20, 1959 (Amami-Oshima)
 Distr. Japan (Amami-Oshima).
 subsp. *okinawaensis* NOMURA, 1977 オキナワヒメクロコガネ
Sophros kawadai okinawaensis NOMURA, 1977, Tōhō Gakuho (27):77, fig. 1 (Okinawa Is.).
 Distr. Japan (Okinawa Is.).

Sophros konishii NOMURA, 1970 ヤエヤマヒメクロコガネ
Sophros konishii NOMURA, 1970, Ent. Rev. Japan (22):67, figs. 6a-b, pl. 5, f. 5 (Ishigaki Is., Iriomote Is.).
 Distr. Japan (Ryukyu Is.).
 subsp. *konishii* NOMURA, 1970, s. str. ヤエヤマヒメクロコガネ
Sophros konishii NOMURA, 1970, Ent. Rev. Japan (22):67, fig. 6a-b, pl. 5, f. 5 (Ishigaki Is., Iriomote Is.).
 Distr. Japan (Ishigaki-jima, Iriomote-jima).
 subsp. *yonaguniensis* NOMURA, 1970 ヨナグニヒメクロコガネ
Sophros konishii yonaguniensis NOMURA, 1970, Ent. Rev. Japan XXII, p. 68, fig. 6c-d (Yonaguni Is.).
 Distr. Japan (Yonaguni-jima).

Sophros takatoshi T. ITO, 1989 ミヤコヒメクロコガネ
Sophros takatoshi T. ITO, LAMELLICORNIA (5):9-10, Figs. 1, 2, 1989 (Miyakojima Is.).
 Distr. Japan (Miyako-jima Is.).

Genus *Hexataenius* FAIRMAIRE, 1891 ヒゲナガクロコガネ属
Hexataenius FAIRMAIRE, Ann. Soc. Ent. Belg., XXXV. p. IX, 1891.
 (type-species: *Hexataenius protensis* FAIRMAIRE, 1891)

Hexataenius protensis FAIRMAIRE, 1891 ヒゲナガクロコガネ
Hexataenius protensis FAIRMAIRE, 1891, Ann. Soc. Ent. Belg., XXXV, p. X (Chang Yang).
 Distr. Japan (Kyushu), China.

Genus *Brahmina* BLANCHARD, 1850 アカチャコガネ属
Brahmina BLANCHARD, 1850, Cat. Col. Ent. 1850, p. 140.
 (type-species: *Melolontha cylindrica* GYLLENHAL, 1817)
Rhizocolax MOTSCHULSKY, 1861, Schrenk's Reisen in Amurl. 2. p. 130.

Brahmina sakishimana NOMURA, 1965 サキシマアカチャコガネ
Brahmina sakishimana NOMURA, Entom. Rev. Japan 18(1):3-4, pl. 1, f. 4, 1965 (Iriomote Is.).
 Distr. Japan (Iriomote-jima).

Brahmina yasuii NOMURA, 1970 ビロウドアカチャコガネ
Brahmina yasuii NOMURA, Entom. Rev. Japan 22(2):68-69, pl. 6, f. 6, 1970 (Iriomote-jima).
 Distr. Japan (Iriomote-jima).

Genus *Heptophylla* MOTSCHULSKY, 1857 ナガチャコガネ属
Heptophylla MOTSCHULSKY, 1857, Étud. ent., 6, p. 32.
 (type-species: *Heptophylla picea* MOTSCHULSKY, 1857)
Hypochrus FAIRMAIRE, 1891, Ann. Soc. ent. Belg., 35, Compt rend. p. 201.
 (type-species: *Hypochrus brevicollis* FAIRMAIRE, 1891)

Heptophylla picea MOTSCHULSKY, 1857 ナガチャコガネ
Heptophylla picea MOTSCHULSKY, Etud. Ent. VI, 1857, p. 33 (Japan: Shimoda).
Heptophylla transversa MOTSCHULSKY, 1860, Etud. Ent. (9):15 (Japan).
Heptophylla picea maenamii NOMURA, 1969, Ent. Rev. Japan (21):73, 92.
Heptophylla picea f. *toshimana* NOMURA, 1969, Ent. Rev. Japan (21):72.
Heptophylla tosana MIYATAKE, 1963, Trans. Shikoku Ent. Soc. (8):23.
Heptophylla picea iriei KUSUI, 1971, Ent. rev. Japan (23):117.
 Distr. Japan (Hokkaido, Kurile Is., Honshu, Tobishima, Awashima, Izu-Oshima, Toshima,
 Nii-jima, Miyake-jima, Mikura-jima., Kyushu, Hirado-jima, Goto Is., Tsushima, Ko-
 shiki-jima, Yakushima), Korea.

Tribe LEUCOPHOLINI ケブカアカチャコガネ族

Genus *Dasylepida* MOSER, 1913 ケブカアカチャコガネ属
Dasylepida MOSER, 1913, Dtsch. ent. Z., 1913, p. 287.
 (type-species: *Lepidiota nana* SHARP, 1876)

Dasylepida ishigakiensis (NIIJIMA et KINOSHITA, 1927) ケブカアカチャコガネ
Brahmina ishigakiensis NIIJIMA et KINOSHITA, Res. Bull. Coll. Exp. Forest. Coll. Agr. Hokkaido Imp. Univ. Japan, IV, p. 23, 83, pl. 1, f. 18, pl. III, f. 2, 1927 (Ishigaki-jima).
Dasylepida nana ishigakiensis NOMURA, Ent. Rev. Japan 22(2):62, 1970 (Ishigaki Is., Iriomote Is.)
 Distr. Japan (Ishigaki-jima, Iriomote-jima).

Tribe MELOLONTHINI コフキコガネ族

Genus *Melolontha* FABRICIUS, 1775 コフキコガネ属
Melolontha FABRICIUS, 1775, Syst. Ent., p. 31.
 (type-species: *Scarabaeus melolontha* LINNE, 1758)
Hoplosternus GUERIN (emend), 1838, Voy. Fovorite (Mag. Zool. 8), p. 63
Oplosternus).
 (type-species: *Melolontha nepalensis* HOPE, 1831)

Melolontha frater ARROW, 1913 オオコフキコガネ
Melolontha frater ARROW, 1913, Ann. Mag. Nat. hist. (8);12, p. 400 (S. Japan; Nara, Kioto, Kii-Wada, Kobe).
 Distr. Japan, Taiwan, Korea, E. Siberia.
 subsp. *frater* ARROW, 1913 s. str. オオコフキコガネ
Melolontha frater ARROW, 1913, Ann. Mag. Nat. hist. (8);12, p. 400 (S. Japan; Nara, Kioto, Kii-Wada, Kobe).
 Distr. Japan (Honshu, Sado, Izu Is.-Niijima, Oshima, Shikine-jima, Kozu-jima., Shikoku, Kyushu, Goto Is., Iki, Yakushima).

Melolontha japonica BURMEISTER, 1855 コフキコガネ
Melolontha japonica BURMEISTER, Handb. Ent. IV, 2, 1855, p. 420 ♂ (Japan).
Hoplosternus japonicus HAROLD, Abh. Nat. ver. Bremen, IV, p. 291, 1875.
Hoplosternus Haroldi MOSER, Deutsch Ent. Zeitschr. p. 290, 1913.
Melolontha japonica var. *gotenbaensis* NIIJIMA et KINOSHITA, Res. Bull. Coll. Exp. Forest. Coll. Agr. Hokkaido Imp. Univ., Japan, II, p. 62, 1923.
 Distr. Japan (Honshu, Sado, Izu Is.-Nii-jima, Kozu-jima, Miyako-jima, Shikoku, Kyushu, Iki, Tsushima).

- Melolontha masafumii* NOMURA, 1952 オキナワコフキコガネ
Melolontha masafumii NOMURA, Tōhō Gakuho (2):29, pl.1, f.4, pl.2, f.10, pl.3, f.L, 1952
 (Ishigaki Is.).
 Distr. Japan (Miyako-jima, Ishigaki-jima, Iriomote-jima).
- Melolontha sartsumaensis* NIJIMA et KINOSHITA, 1923 サツマコフキコガネ
Melolontha sartsumaensis NIJIMA et KINOSHITA, 1923, Res. Bull. Coll. Exp. Forest. Coll. Agr.,
 Hokkaido Imp. Univ. Japan, Sapporo, II, 2, pp.62, 223, pl.2, fig.5, pl.4, f.19, pl.VII,
 f.13 (Kagoshima, Miyazaki, Kochi).
 Distr. Japan.
- subsp. *sartsumaensis* NIJIMA et KINOSHITA, 1923 s.str. サツマコフキコガネ
Melolontha sartsumaensis NIJIMA et KINOSHITA, Res. Bull. Coll. Exp. Forest. Coll. Agr., Hok-
 kaido Imp. Univ. Japan, Sapporo, II, 2, pp.62, 223, pl. II, f.5, pl. IV, f.19, pl. VII,
 f.13, 1923 (Kagoshima, Miyazaki, Kochi).
 Distr. Japan (Kyushu, Yakushima, Tanegashima).
- subsp. *shikokuana* NOMURA, 1977 シコクコフキコガネ
Melolontha sartsumaensis shikokuana NOMURA, Tōhō Gakuho (27):78, fig.3,8&9, 1977 (Imabari).
 Distr. Japan (Shikoku).
- Melolontha tamina* NOMURA, 1964 アマミコフキコガネ
Melolontha tamina NOMURA, Entom. Rev. Japan 16(2):54-55, pl.7, f.6~9, t. f.4, 1964 (Amami-
 Oshima).
 Distr. Japan (Amami-Oshima, Tokuno-shima, Kikaiga-shima).
- Genus *Tricholontha* NOMURA, 1952 ケブカコフキコガネ属
Tricholontha NOMURA, Tōhō Gakuho (2):26, 1952.
 (type-species: *Tricholontha papagena* NOMURA, 1952)
- Tricholontha papagena* NOMURA, 1952 ケブカコフキコガネ
Tricholontha papagena NOMURA, Tōhō Gakuho (2):, pl. I, f. Q,R; pl. II, f. IV, pl. III, f.4, 1952
 (Okinawa).
 Distr. Japan (Okinawa Is., Tokuno-shima).
- Genus *Polyphylla* HARRIS, 1842 ヒゲコガネ属
Polyphylla HARRIS, 1842, Rep. Ins. Massachusetts, p.30.
 (type-species: *Scarabaeus fulvo* LINNÉ, 1758)
Macronoxia CROTCH, Check List North Amer. Col., 1873, p.61.
- Subgenus *Gynexophylla* MEDVEDEV, 1951
Gynexophylla MEDVEDEV, 1951, Fauna SSSR, 10(1):86.
 (type-species: *Polyphylla laticollis* LEWIS, 1887)
- Polyphylla (Gynexophylla) laticollis* LEWIS, 1887 ヒゲコガネ
Polyphylla laticollis LEWIS, Ent. Monthly Mag., 1887, p.231, ♂ (Sakami: between Fujisan and Yo-

kohama).

Distr. Japan, Korea, China.

subsp. *laticollis* LEWIS, 1887, s. str. ヒゲコガネ

Polyphylla laticollis LEWIS, Ent. Monthly Maf., 1887, p. 231, ♂ (Sakami: between Fujisan and Yokohama).

Distr. Japan (Honshu, Shikoku, Kyushu).

Subgenus *Granida* MOTSCHULSKY, 1861

Granida MOTSCHULSKY, 1861, Etud. ent., 10, p. 8.

(type-species: *Granida albolineata* MOTSCHULSKY, 1861)

Polyphylla (Granida) albolineata (MOTSCHULSKY, 1861) シロスジコガネ

Granida albolineata MOTSCHULSKY, Etud. Ent. X, p. 8, 1861 (Japan).

Distr. Japan (Hokkaido, Honshu, Sado, Izu Is.-Oshima, Nii-jima, Kozu-jima, Miyake-jima, Shikoku, Kyushu, Iki, Goto Is.).

Polyphylla (Granida) schoenfeldti BRENSKE, 1890 オキナワシロスジコガネ

Polyphylla schoenfeldti BRENSKE, Ent. Nachr., XIII, p. 198, 1890 (Liuliu Iseln: Oshima).

Distr. Japan (Takara-jima, Amami-Oshima, Tokuno-shima, Okinoerabu-jima, Yoron, Okinawa, Kume-jima, Kerama Is.).

Subfamily RUTELINAE スジコガネ亜科

Tribe ADORETINI コイチャコガネ族

Genus *Adoretus* LAPORTE, 1840 コイチャコガネ属

Adoretus LAPORTE, 1840, Hist. Nat. Col. 2:142.

(type-species: *Adoretus hirtellus* LAPORTE, 1840)

Subgenus *Adoretus* LAPORTE, 1840, s. str.

Adoretus (s. str.) *falciungulatus* NOMURA, 1965 シヤミセンコイチャコガネ

Adoretus (s. str.) *falciungulatus* NOMURA, Entom. Rev. Japan 18(1):6-7, pl. 1, f. 8 et 9, text f. 4~7, 1965 (Iriomote Is., Ishigaki Is.).

Distr. Japan (Iriomote Is., Ishigaki Is.).

Subgenus *Chaetaboretus* OHAUS, 1914

Chaetaboretus OHAUS, Deutsch Ent. Zeit. 1914, p. 475 u 492.

(type-species: *Adoretus timoriensis* OHAUS, 1914)