

Kozu-jima, Shikoku, Kyushu, Goto, Hirato, Iki, Tsushima, Yakushima, Tokara), Sa-
ghalin, Korea, China, E. Siberia.

subsp. *yuasai* NOMURA, 1969

Anomala testaceipes yuasai NOMURA, Entom. Rev. Japan 21(2):73, 1969 (Miyake-jima, Mikura-jima, Izu-Is.).

Distr. Japan (Miyake-jima, Mikura-jima).

Anomala triangularis SCHOENFELDT, 1890 サンカクスジコガネ

Anomala triangularis SCHOENFELDT, Ent. Nachr. XVI, 11, 1890, p. 171 (Oshima).

Distr. Japan.

subsp. *kyushuensis* NOMURA, 1964 キュウシュウスジコガネ

Anomala triangularis kyushuensis NOMURA, Tōhō Gakuho (14):68, 1964 (Ohsumi).

Distr. Japan (Kyushu, Hekura-jima).

subsp. *triangularis* SCHOENFELDT, 1890 サンカクスジコガネ

Anomala triangularis SCHOENFELDT, Ent. Nachr., XVI, 11, 1890, p. 171 (Oshima).

Distr. Japan (Tanegashima, Tokara Is.-Akuseki-jima, Takara-jima, Nakano-shima, Amami-Oshima, Tokunoshima, Okinoerabu-jima, Yoron, Okinawa).

Anomala xanthopleura ARROW, 1913 リュウキュウドウガネ

Anomala xanthopleura ARROW, Ann. Mag. Nat. Hist. (8) XII, p. 402, 1913 (Loo-Choo).

Distr. Japan (Amami-Oshima, Okinawa Is. Ishigaki-jima, Kume-jima).

Subfamily DYNASTINAE カブトムシ亞科

Tribe DYNASTINI カブトムシ族

Genus *Allomyrina* ARROW, 1911 カブトムシ属

Allomyrina ARROW, Ann. Mag. Nat. Hist. (8) XIII, p. 153, 1911.

(type-species: *Scarabaeus dichotomus* LINNÉ, 1771)

Allomyrina dichotoma (LINNÉ, 1771) カブトムシ

Scarabaeus dichotomus LINNÉ, Mant. Plant. VI, p. 529, 1771.

Distr. Japan, Taiwan, Korea, China, Indochina.

subsp. *inchachina* Kusui, 1976 クメジマカブトムシ

Allomyrina dichotoma inchachina Kusui, Entom. Rev. Japan, 29(1/2):52-53, pl. 5, 1976 (Kume-ji-ma).

Distr. Japan (Kume-jima).

subsp. *septentrionalis* (KONO, 1931) カブトムシ

Trypoxylus dichotomus LINNÉ, var. *septentrionalis* KONO, Ins. Mats., V, p. 160, t. 3, f. 5, 1931 (Honshu-Iwate).

Allomyrina dichotoma septentrionalis, KUROSAWA, Coleop. Jap. Col. II, pl. 76, f. 1, p. 417, 1985.

Distr. Japan (Hokkaido, Honshu, Shikoku, Kyushu, Tanegashima, Yakushima, Kuchinoerabu-jima), Korea, N. China, Indo-China.

subsp. *takarai* Kusui, 1976 オキナワカブトムシ

Allomyrina dichotoma takarai Kusui, Entom. Rev. Japan 29(1/2):52, pl. 5, 1976 (Okinawa Is.).
Distr. Japan (Okinawa Is.).

Tribe ORYCTINI サイカブトムシ族

Genus *Oryctes* Illiger, 1798 サイカブトムシ属

Oryctes Illiger, Käfer Prausseus, p. 11, 1798.
(type-species: *Scarabaeus nasicornis* Linne, 1758)

Oryctes rhinoceros (Linne, 1758) サイカブトムシ

Scarabaeus rhinoceros Linne, Syst. Nat. p. 346, 1858.
Distr. Japan (Yonaguni Is., Ishigaki Is.), Korea, China, Taiwan, Indo-China, Siam,
Buruma, India, Malay, Philippine, Sumatora, Java, Celebes, Ceram, Amboyna.

Genus *Eophileurus* Arrow, 1908 コカブトムシ属

Eophileurus Arrow, Trans. ent. soc. London, p. 332, 1908.
(type-species: *Geotrupes planatus* Wiedemann, 1823)

Eophileurus chinensis (FALDERMANN, 1835) コカブトムシ

Phileurus chinensis FALDERMANN, Mém. Acad. Petr. ii, 1835, p. 370.

Triomychus poteli FAIRMAIRE, 1898, Ann. Soc. ent. France, 1898, p. 384.

Distr. Japan (Hokkaido, Honshu, Tobishima, Sado, Izu Is., -Oshima, Toshima, Nii-jima, Ko-
zu-jima, Miyake-jima, Mikura-jima, Shikoku, Kyushu), Saisyu-to, Korea, Taiwan,
Burma, Ussurie, China.

subsp. *irregularis* PRELL, 1913 コカブトムシ

Eophileurus chinensis var. *irregularis* PRELL. Suppl. Ent. ii, 1913, p. 23.

Distr. Japan (Amami-Oshima).

subsp. *okinawanus* NOMURA, 1964 オキナワコカブトムシ

Eophileurus chinensis okinawanus NOMURA, Ent. Rev. Japan, 16(2):57, pl. 8, f. 12, 1964 (Okinawa
Is., Iriomote Is.).

Distr. Japan (Okinawa Is., Iriomote Is.).

Tribe PENTODONTINI クロマルコガネ族

Genus *Alissonotum* Arrow, 1908 クロマルコガネ属

Alissonotum Arrow, Trans. ent. Soc. London, p. 332, 1908.
(type-species: *Geotrupes piceus* Fabricius, 1775).

Alissonotum pauper (BURMEISTER, 1847) クロマルコガネ

Heteronychus pauper BURMEISTER, Handb. Ent. V, p. 94, 1847 (Philippines).

Distr. Japan (Okino erabu Is., Tokara Is.), Taiwan, China, Philippines, Indo-China.

Subfamily EUCHIRINAE テナガコガネ亞科

Genus *Cheirotonus* HOPE, 1841 テナガコガネ属

Cheirotonus HOPE, 1841, Trans. Linn. Soc. (17), p. 594.

(type-species: *Cheirotonus macleayi* HOPE, 1841)

Cheirotonus jambar Y. KUROSAWA, 1984 ヤンバルテナガコガネ

Cheirotonus jambar Y. KUROSAWA, Bull. Natn. Sci. Mus. Tokyo, Ser. A. 10(2):73-78, Fif. 1-3, 1984 (N. Okinawa Is.).

Distr. Japan (N. Okinawa Is.).

Subfamily CETONIINAE ハナムグリ亞科

Tribe HETERORRHININI カナブン族

Genus *Cosmiomorpha* SAUNDERS, 1852 チャイロカナブン属

Cosmiomorpha SAUNDERS, 1852, Trans. ent. Soc. London (n. s.) II, p. 28.

(type-species: *Cosmiomorpha modesta* SAUNDERS, 1852)

Subgenus *Microcosmiomorpha* MIKŠIĆ

Microcosmiomorpha MIKŠIĆ, 1974, Rev. suis Zool. LXXXI. 4, p. 770.

(type-species: *Cosmiomorpha setulosa* WESTWOOD, 1854).

Cosmiomorpha (*Microcosmiomorpha*) *similis* FAIRMAIRE, 1899 チャイロカナブン

Cosmiomorpha similis FAIRMAIRE, Ann. Soc. Ent. Fr. LXVII, p. 621, 1899.

Distr. Japan, Taiwan.

subsp. *nigra* NIJIMA et KINOSHITA, 1927 チャイロカナブン

Cosmiomorpha similis FAIRMAIRE var. *nigra* NIJIMA et KINOSHITA, Res. Bull. Coll. Exp. Forest Coll. Agr. Hokkaido Imp. Univ. Japan IV:69, 1927 (Ishigaki-jima).

Distr. Japan (Ishigaki-jima, Iriomote-jima, Obama-jima).

subsp. *miyakoana* NOMURA, 1964 ミヤコチャイロカナブン

Cosmiomorpha similis miyakoana NOMURA, Tōhō Gakuho (14):70, 1964 (Miyako Is.).

Distr. Japan (Miyako-jima, Irabu-jima).

subsp. *yonakuniana* NOMURA, 1964 ヨナクニチャイロカナブン

Cosmiomorpha similis yonakuniana NOMURA, Ent. Rev. Japan 16(2):57, pl. 8, f. 13, 1864 (Yonaku-ni Is.).